

## Dakota County, Minnesota

### [Absence of an entry indicates that data were not estimated]

	D			Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
2B: Ostrander	85	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
2C: Ostrander	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
7A: Hubbard	90	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
7B: Hubbard	90	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
7C: Hubbard	90	Very poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
7D: Hubbard	90	Very poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
8A: Sparta	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
8B: Sparta	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
12C: Emmert	90	Poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
27A: Dickinson	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor




	D			Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
27B: Dickinson	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
39A:											
Wadena	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
39B: Wadena	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
39B2: Wadena, eroded	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
39C: Wadena	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
39C2: Wadena, eroded	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
39D: Wadena	85	Poor	Good	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
41A: Estherville	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
41B: Estherville	90	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
42C: Salida	90	Poor	Poor	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor




	5. (			Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
49B: Antigo	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
81B:											
Boone	90	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
81C: Boone	90	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
81E: Boone	100	Very poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
94C: Terril	100	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
98: Colo, occasionally flooded	85	Good	Fair	Good	Fair	Poor	Good	Good	Fair	Fair	Good
100A: Copaston	97	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
100B: Copaston	97	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
100C: Copaston	97	Poor	Poor	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
106B: Lester	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor




	<u> </u>			Potent	ial for habitat	elements			Pote	ential as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
106C:											
Lester	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
106C2:											
Lester, eroded	95	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
106D2: Lester, eroded	100	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Lesier, eroded	100	i ali	Good	Good	Good	Good	very poor	very poor	Good	Good	very poor
109:											
Cordova	95	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
113:											
Webster	85	Good	Good	Good	Fair	Poor	Good	Good	Good	Fair	Good
114:	00	0 1	0 1	E-1	E de	F-:-	0 1	0 1	0 1	E.G.	01
Glencoe	90	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good
129:											
Cylinder	85	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
450D.											
150B: Spencer	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
<b>C</b> pollool	30	0000	0000	0000	0000	0000	. 55.	. o., poo.	0000	0000	. o., poo.
151C:											
Burkhardt	95	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
151D:											
Burkhardt	95	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor




				Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
155B:											
Chetek	85	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
155C:											
Chetek	85	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
4555											
155E: Chetek	85	Very poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
							, ,	, ,			
173F: Frontenac	100	Very poor	Very poor	Poor	Fair	Fair	Very poor	Very poor	Poor	Fair	Very poor
Tontonac	100	very poor	very poor	1 001	i ali	ran	very poor	very poor	1 001	ı alı	very poor
176:		0 1	0 1	0 1		5	0 1	0 1	0 1		0 1
Garwin	90	Good	Good	Good	Fair	Poor	Good	Good	Good	Fair	Good
177A:											
Gotham	97	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
177B:											
Gotham	97	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
177C:											
Gotham	97	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
189:											
Auburndale	90	Good	Good	Fair	Fair	Good	Good	Good	Good	Fair	Good
_											
203B: Joy	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
<del>,</del>	30	0000	0000	0000	0000	0000	1 001	1 001	0000	0000	1 001



Man averbal	Det of			Potenti	ial for habitat	elements			Poter	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Poor Good Good Good Poor Poor Fair	Wetland wild- life
208:											
Kato	95	Good	Fair	Fair	Poor	Poor	Good	Good	Good	Poor	Good
213B:											
Klinger	90	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
226:											
Lawson	90	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
239: Le Sueur	85	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
Lo odddi	03	Cood	Cood	Cood	Coou	Cood	1 001	1 001	Cood	Cood	1 001
250:		0 1	0 1	0 1	0 1	0 1			0 1	0 1	5
Kennebec	100	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
251D:											
Marlean	95	Very poor	Very poor	Fair	Fair	Fair	Very poor	Very poor	Very poor	Poor	Very poor
251E:											
Marlean	95	Very poor	Very poor	Fair	Fair	Fair	Very poor	Very poor	Very poor	Poor	Very poor
252:											
Marshan	90	Good	Good	Good	Fair	Poor	Good	Good	Good	Fair	Good
050.											
253: Maxcreek	90	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good
255:	00	Good	Good	Fair	Fair	Fair	Good	Good	Good	Fair	Good
Mayer	90	G000	Good	ГdII	FdII	ган	Good	G000	G000	rall	G000




	D			Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
279B: Otterholt	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
279C:											
Otterholt	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
283A: Plainfield	95	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
283B: Plainfield	95	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
283D: Plainfield	95	Very poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
285A: Port Byron	95	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
285B: Port Byron	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
285C: Port Byron	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
299A: Rockton	100	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
299B: Rockton	100	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor




				Potenti	al for habitat	elements			Pote	ntial as hab	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
299C:											
Rockton	100	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
301B:											
Lindstrom	100	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
313:											
Spillville, occasionally	100	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair
flooded											
317:											
Oshawa	95	Poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
318:											
Mayer, swales	90	Fair	Fair	Poor	Poor	Poor	Good	Good	Fair	Poor	Good
320B:											
Tallula	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
00000											
320C2: Tallula, eroded	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
·								. , ,			. , ,
342B: Kingsley	85	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Kingsiey	65	Good	Good	Good	Good	Good	very poor	very poor	Good	Good	very poor
342C:								.,			
Kingsley	85	Fair	Good	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor




	5. (			Potenti	ial for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
342E: Kingsley	85	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
	00						, , ,	, , ,			, p
342F:	400	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Kingsley	100	POOI	Ган	Good	Good	Good	very poor	very poor	Ган	Good	very poor
344:											
Quam	90	Poor	Good	Good	Poor	Poor	Good	Good	Fair	Poor	Good
377B:											
Merton	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
378:											
Maxfield	90	Good	Good	Good	Fair	Poor	Good	Good	Good	Fair	Good
2020.											
382B: Blooming	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Poor
•											
408: Faxon	90	Fair	Fair	Fair	Poor	Poor	Good	Fair	Fair	Poor	Fair
Taxon	90	ı alı	i ali	i ali	1 001	1 001	0000	ran	ı alı	1 001	ı alı
409B:							_			_	_
Etter	90	Fair	Fair	Fair	Fair	Good	Poor	Very poor	Good	Poor	Poor
409C:											
Etter	90	Fair	Fair	Fair	Fair	Good	Very poor	Very poor	Good	Poor	Very poor
411A:											
Waukegan	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor




				Potenti	al for habitat	elements			Pote	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
411B: Waukegan	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
411C: Waukegan	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
414: Hamel	90	Good	Good	Fair	Good	Fair	Good	Good	Good	Fair	Good
415A: Kanaranzi	100	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
415B: Kanaranzi	100	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
415C: Kanaranzi	100	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
449B: Crystal Lake	100	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
454B: Mahtomedi	85	Poor	Fair	Fair	Poor	Fair	Very poor	Very poor	Fair	Fair	Very poor
454C: Mahtomedi	85	Poor	Fair	Fair	Poor	Fair	Very poor	Very poor	Fair	Fair	Very poor
454E: Mahtomedi	85	Very poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor




	5			Potent	al for habita	t elements			Pot	ential as habit	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
463:											
Minneiska, occasionally flooded	85	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor
465:											
Kalmarville, frequently flooded	100	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good
495:											
Zumbro	100	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Poor
522:											
Boots	100	Poor	Good	Good	Poor	Poor	Good	Good	Poor	Poor	Good
539:											
Palms	100	Poor	Good	Good	Poor	Poor	Good	Good	Fair	Poor	Good
540:											
Seelyeville	100	Poor	Good	Good	Poor	Poor	Good	Good	Good	Fair	Good
545:											
Rondeau	100	Poor	Good	Good	Poor	Very poor	Good	Good	Fair	Very poor	Good
611C:											
Hawick	90	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
611D:											
Hawick	90	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
	00						- 7	. , ,			- 7




	5. (			Potenti	al for habitat	elements			Poter	ntial as habi	tat for
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Poor Poor Good Fair Good	Wetland wild- life
611E:											
Hawick	100	Very poor	Very poor	Fair	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
611F:											
Hawick	100	Very poor	Very poor	Fair	Poor	Poor	Very poor	Very poor	Very poor	Poor	Very poor
857A:											
Urban land	90										
Waukegan	10	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Cood	Very poor
waukegan	10	Good	Good	Good	Good	Good	very poor	very poor	Good	Good	very poor
857B:											
Urban land	90										
Waukegan	10	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
858C:											
Urban land	65										
Chetek	35	Fair	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Official	33	ı alı	i ali	i ali	ı alı	ı alı	very poor	very poor	i ali	ran	very poor
860C: Urban land	0.5										
Urban land	65										
Lester	35	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
861C:											
Urban land	65										



Map symbol and soil name	5	Potential for habitat elements								Potential as habitat for			
	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life		
											_		
861C:													
Kingsley	35	Fair	Good	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor		
861E:													
Urban land	65												
Kingsley	35	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor		
865B:													
Urban land	65												
Hubbard	35	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor		
880F:													
Brodale	70	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Poor	Very poor		
Rock outcrop	30												
888B:													
Kingsley	55	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor		
Lester	35	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor		
888C:													
Kingsley	55	Fair	Good	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor		
Lester	35	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor		




Map symbol and soil name	Pct. of map unit			Potential as habitat for							
		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
888D:											
Kingsley	55	Fair	Good	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Lester	35	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
889B:											
Wadena	55	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
Hawick	35	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
889C:											
Wadena	55	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Hawick	35	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
889D:											
Wadena	60	Poor	Good	Good	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor
Hawick	40	Poor	Poor	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
895B:											
Kingsley	45	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Mahtomedi	23	Poor	Fair	Fair	Poor	Fair	Very poor	Very poor	Fair	Fair	Very poor
Spencer	22	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
895C: Kingsley	45	Fair	Good	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor




## Dakota County, Minnesota

Map symbol and soil name	Data of			Potential as habitat for							
	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
895C:											
Mahtomedi	23	Poor	Fair	Fair	Poor	Fair	Very poor	Very poor	Fair	Fair	Very poor
Spencer	22	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
896E:											
Kingsley	60	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Mahtomedi	30	Very poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor
896F:											
Kingsley	65	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Mahtomedi	35	Very poor	Poor	Fair	Poor	Fair	Very poor	Very poor	Poor	Fair	Very poor
963C2:											
Timula, eroded	57	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Bold, eroded	38	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
963D2:											
Timula, eroded	57	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Bold, eroded	38	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
963E2:											
Timula, eroded	57	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
Bold, eroded	38	Poor	Fair	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor



This report shows only the major soils in each map unit

Mara asserbal	D			Potential as habitat for							
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
1013:											
Pits, quarry	100										
1027: Udorthents, wet	100										
1029:											
Pits, gravel	100										
1039: Urban land	100										
1055:											
Aquolls, ponded	50	Very poor	Good	Good	Poor	Poor	Good	Good	Good	Poor	Good
Histosols, ponded	50	Very poor	Good	Good	Poor	Poor	Good	Good	Good	Poor	Good
1072: Udorthents, moderately shallow	100										
1815: Zumbro, non-flooded	100	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Poor
1816: Kennebec	90	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor



	D (	Potential for habitat elements								Potential as habitat for			
Map symbol and soil name	Pct. of map unit	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life		
1821:													
Algansee, occasionally flooded	95	Poor	Fair	Fair	Fair	Fair	Fair	Fair	Fair	Fair	Fair		
1824:													
Quam, ponded	90	Very poor	Poor	Very poor	Very poor	Very poor	Good	Good	Very poor	Very poor	Good		
1825C:													
Seelyeville, sloping	90	Poor	Poor	Good	Poor	Poor	Good	Good	Good	Poor	Good		
1827A:													
Waukegan, bedrock substratum	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor		
1827B:													
Waukegan, bedrock substratum	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor		
1827C:													
Waukegan, bedrock substratum	90	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor		
1848B:													
Sparta, bedrock substratum	90	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Fair	Fair	Very poor		
1894B:													
Winnebago	90	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor		



Map symbol	Pct. of map unit			Potential as habitat for							
and soil name		Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hard- wood trees	Conif- erous trees	Wetland plants	Shallow water areas	Open- land wild- life	Wood- land wild- life	Wetland wild- life
1895B: Carmi	90	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
1896B: Ostrander	55	Good	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
Carmi	35	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
1898F: Brodale	50	Poor	Fair	Fair	Fair	Fair	Very poor	Very poor	Poor	Poor	Very poor
Etter	50	Poor	Fair	Fair	Fair	Good	Very poor	Very poor	Good	Poor	Very poor
1902B: Jewett	85	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
W: Water	100										

